


BG series filters



INFILTEK



BG1

SINGLE BAG FILTER





MODEL: BG1

SPECIFICATIONS:

- **MATERIAL OF CONSTRUCTION:** Carbon Steel, Stainless Steel (type 304, 316...), Exotic Alloys, Other on request
- **STANDARD SURFACE FINISH:**
Carbon Steel Vessels: Blasted and painted blue
Stainless Steel Vessels: Glass bead
Special finish available on request:
Food grade finish, Epoxy, Rubber lining or others
- **COVER O-RING MATERIAL:** Buna-N (standard), EPDM, TEV, Viton, other available on request
- **STANDARD DESIGN RATING:** 150PSIG @ 225°F
MDMT -20°F @ 150PSIG
Other available on request
- **BOLTS:** Eye bolts and hex nuts (standard), Eye nuts (optional)
Material: Carbon Steel, or per request
- **CONNECTIONS:**
IN/OUT: 2" 150# FLG. (std. on BG1)
2" FNPT - 3000# CPLG. (std. on BG1-SI)
Pres. Gauges: 1/4" FNPT - 3000# CPLG.
Vent: 1/4" FNPT - 3000# CPLG.
Other available on request
- **BASKET:** Size #1 or #2
Material: SS316 from Perforated plate
Optional #10 Mesh
- **ADJUSTABLE LEGS:** Material same as vessel
- **FILTER BAGS MUST BE ORDERED SEPARATELY**


MODEL: BG1-SI



NOTES: SPECIFICATION AND SIZES CAN CHANGE WITHOUT PRIOR NOTICE; FOR REFERENCE ONLY; NOT TO BE USED FOR PRE-PIPING WORK; NOT TO SCALE
ACCURATE DIMENSIONS AND DETAILS WILL BE ISSUED WITH ENGINEERING DRAWING

BG1

SINGLE BAG FILTER



	MODEL			
DIM'S	BG1	BG1-L	BG1-SI	BG1-L-SI
A	16 3/4	30 1/4	22 7/16	34 1/16
B	10 1/16	10 1/16	7 3/8	7 3/8
C	37 1/2	49 1/4	42 13/16	54 7/16
D	4 5/8	4 5/8	6 5/8	6 5/8
E	11 3/4	11 3/4	12 3/8	12 3/8
F	17 13/16	17 13/16	5 1/2	5 1/2
G			10 3/8	10 3/8
H	19	19	19	19

NOTES: SPECIFICATION AND SIZES CAN CHANGE WITHOUT PRIOR NOTICE; FOR REFERENCE ONLY; NOT TO BE USED FOR PRE-PIPING WORK; NOT TO SCALE
ACCURATE DIMENSIONS AND DETAILS WILL BE ISSUED WITH ENGINEERING DRAWING

BG3

THREE BAG FILTER



MODEL: BG3-L-EL

EL-Easy Lifting




SPECIFICATIONS:

- **MATERIAL OF CONSTRUCTION:** Carbon Steel, Stainless Steel (type 304, 316...), Exotic Alloys, Other on request
- **STANDARD SURFACE FINISH:**
Carbon Steel Vessels: Blasted and painted blue
Stainless Steel Vessels: Glass bead
Special finish available on request:
Food grade finish, Epoxy, Rubber lining or others
- **COVER O-RING MATERIAL:** Buna-N (standard)
Other available on request
- **STANDARD DESIGN RATING:** 150PSIG @ 225°F
MDMT -20°F @ 150PSIG
Other available on request
- **BOLTS AND HEX NUT MATERIAL:** Carbon Steel, or per request
- **CONNECTIONS:** IN/OUT: 3"RFSO – 150# FLG.
Pres. Gauges: ½"FNPT – 3000#CPLG.
Vent: ½"FNPT – 3000#CPLG.
Drain: ½"FNPT – 3000#CPLG.
Other available on request
- **FILTER BAGS MUST BE ORDERED SEPARATELY**
- **BAG HOLD DOWN SYSTEM:** Bolted grid or self seal plate
(Sole option to purchaser)
- **FILTER BAG SIZE:** P2E/P2S
- **STANDARD BASKET:** SIZE: #2, OAKLAND STYLE
Material: SS316 from Perforated 18GA plate with Ø1/8" holes on 3/16" centres
- **BASKET O-RING MATERIAL:** Buna-N

MODEL: BG3-L-ECEL

EL-Easy Lifting EC-Easy Changeover





NOTES: SPECIFICATION AND SIZES CAN CHANGE WITHOUT PRIOR NOTICE; FOR REFERENCE ONLY; NOT TO BE USED FOR PRE-PIPING WORK; NOT TO SCALE
ACCURATE DIMENSIONS AND DETAILS WILL BE ISSUED WITH ENGINEERING DRAWING

INFILTEK



385 Watline Avenue, Mississauga, Ontario, L4Z 1P3, Phone (905) 568-1817 Fax (905) 568-1814

BG3

THREE BAG FILTER



BG3-L-EL




BG3-L-ECEL

	MODEL	
DIM'S	BG3-L-EL	BG3-L-ECEL
A	42 3/4	36
B	6	6
C	26 1/2	26 1/2
D	25	16
E	12 1/2	14 1/4
F	18	18
G	16 5/8	13

NOTES: SPECIFICATION AND SIZES CAN CHANGE WITHOUT PRIOR NOTICE; FOR REFERENCE ONLY; NOT TO BE USED FOR PRE-PIPING WORK; NOT TO SCALE
ACCURATE DIMENSIONS AND DETAILS WILL BE ISSUED WITH ENGINEERING DRAWING


INFILTEK

385 Watline Avenue, Mississauga, Ontario, L4Z 1P3, Phone (905) 568-1817 Fax (905) 568-1814



SPECIFICATIONS:


- **MATERIAL OF CONSTRUCTION:** Carbon Steel, Stainless Steel (type 304, 316...), Exotic Alloys, Other on request
- **STANDARD SURFACE FINISH:**
Carbon Steel Vessels: Blasted and painted blue
Stainless Steel Vessels: Glass bead
Special finish available on request:
Food grade finish, Epoxy, Rubber lining or others
- **COVER O-RING MATERIAL:** Buna-N (standard)
Other available on request
- **STANDARD DESIGN RATING:** 150PSIG @ 225°F
MDMT -20°F @ 150PSIG
Other available on request
- **BOLTS AND HEX NUT MATERIAL:** Carbon Steel, or per request
- **CONNECTIONS:** IN/OUT: 6"RFSSO – 150# FLG.
Pres. Gauges: ½"FNPT – 3000#CPLG.
Vent: ½"FNPT – 3000#CPLG.
Drain: 2"FNPT – 3000#CPLG.
Other available on request
- **FILTER BAGS MUST BE ORDERED SEPARATELY**
- **BAG HOLD DOWN SYSTEM:** Bolted grid or self seal plate
(Sole option to purchaser)
- **FILTER BAG SIZE:** P2E/P2S
- **STANDARD BASKET:** SIZE: #2, OAKLAND STYLE
Material: SS316 from Perforated plate with Ø1/8" holes on 3/16" centers
- **BASKET O-RING MATERIAL:** Buna-N
Other available on request



NOTES: SPECIFICATION AND SIZES CAN CHANGE WITHOUT PRIOR NOTICE; FOR REFERENCE ONLY; NOT TO BE USED FOR PRE-PIPING WORK; NOT TO SCALE
ACCURATE DIMENSIONS AND DETAILS WILL BE ISSUED WITH ENGINEERING DRAWING

BG6

I BAG FILTER



	MODEL
DIM'S	BG6-L
A	50
B	17
C	7
D	37 1/4
E	17 1/4
F	16 1/4


NOTES: SPECIFICATION AND SIZES CAN CHANGE WITHOUT PRIOR NOTICE; FOR REFERENCE ONLY; NOT TO BE USED FOR PRE-PIPING WORK; NOT TO SCALE
ACCURATE DIMENSIONS AND DETAILS WILL BE ISSUED WITH ENGINEERING DRAWING

INFILTEK

385 Watline Avenue, Mississauga, Ontario, L4Z 1P3, Phone (905) 568-1817 Fax (905) 568-1814


BG6-L2-4F

I BAG FILTER



SPECIFICATIONS:

- MATERIAL OF CONSTRUCTION:** Carbon Steel, Stainless Steel (type 304, 316...), Exotic Alloys, Other on request
- STANDARD SURFACE FINISH:**
 - Carbon Steel Vessels: Blasted and painted blue
 - Stainless Steel Vessels: Glass bead
 - Special finish available on request:
 - Food grade finish, Epoxy, Rubber lining or others
- COVER O-RING MATERIAL:** Buna-N (standard)
Other available on request
- STANDARD DESIGN RATING:** 150PSIG @ 225°F
MDMT -20°F @ 150PSIG
Other available on request
- BOLTS AND HEX NUT MATERIAL:** Carbon Steel, or per request
- CONNECTIONS:** IN/OUT: 4"RFSSO – 150# FLG.
 - Pres. Gauges: ½"FNPT – 3000#CPLG.
 - Vent: ½"FNPT – 3000#CPLG.
 - Drain: 2"FNPT – 3000#CPLG.
 - Other available on request
- FILTER BAGS MUST BE ORDERED SEPARATELY**
- BAG HOLD DOWN SYSTEM:** Bolted grid or self seal plate
(Sole option to purchaser)
- FILTER BAG SIZE:** P2E/P2S
- STANDARD BASKET:** SIZE: #2, OAKLAND STYLE
Material: SS316 from Perforated plate with Ø1/8" holes on 3/16" centers
- BASKET O-RING MATERIAL:** Buna-N (standard)
Other available on request




NOTES: SPECIFICATION AND SIZES CAN CHANGE WITHOUT PRIOR NOTICE; FOR REFERENCE ONLY; NOT TO BE USED FOR PRE-PIPING WORK; NOT TO SCALE
ACCURATE DIMENSIONS AND DETAILS WILL BE ISSUED WITH ENGINEERING DRAWING

INFILTEK

385 Watline Avenue, Mississauga, Ontario, L4Z 1P3, Phone (905) 568-1817 Fax (905) 568-1814

BG6-L2-4F

I BAG FILTER



	MODEL
DIM'S	BG6-L2
A	50
B	17
C	7
D	37 1/4
E	17 1/4
F	16 1/4

NOTES: SPECIFICATION AND SIZES CAN CHANGE WITHOUT PRIOR NOTICE; FOR REFERENCE ONLY; NOT TO BE USED FOR PRE-PIPING WORK; NOT TO SCALE
ACCURATE DIMENSIONS AND DETAILS WILL BE ISSUED WITH ENGINEERING DRAWING

INFILTEK

385 Watline Avenue, Mississauga, Ontario, L4Z 1P3, Phone (905) 568-1817 Fax (905) 568-1814